





2022 Canada, EMEA and Asia-Pacific Catalog



Prática Klimaquip SA, founded in 1991, is the leading manufacturer of food service and bakery equipment in South America. Since 2007 Prática has been engineering and manufacturing Speed Ovens.

The company has over 500 employees, 40 of them in Research & Development, and a 250.000 square foot state-of-theart engineering and manufacturing facility. Prática has its headquarter located in Minas Gerais, Brazil. It also has representatives and distributors on all continents and in each location it is equipped with experienced teams that provide services, sales, products, parts and support to its customers.







## VALUES



### PURPOSE







WELL-BEING

PRODUCTIVITY

SUSTAINABILITY

MANUFACTURING **PLANT** State of Minas Gerais - Brazil



Prática's speed ovens are ultra-fast, high-performing ovens used for preparing, and finishing, fresh, refrigerated, or frozen foods. Each use results in excellent appearance, crunchiness, and taste.

With cutting edge technology, the ovens work with multiple heat sources, such as, impinged hot air, microwave, and direct radiation. They are equipped with a ventless system through an easily removable catalytic converter and requires no extraction hood for operation, making it easy to clean and maintain.

With a friendly touch screen interface, Prática speed ovens have easy operation and quick preparations, are ideal for service with agility and quality.





FIT EXPRESS SILVER

FIT EXPRESS ORANGE



Smallest Footprint in its category without sacrificing- performance, consistency or quality

• Touchscreen display with intuitive and multi-language software, making it easy to set up, operate, and create recipes

• USB loading capabilities for programming and sharing settings between ovens

• Catalytic converter filter technology allows the oven to operate in any indoor area without the use of a hood

• Easy access to the removable catalytic converter that allows cleaning and maintenance to be performed by the end-user

• Manual cooking mode allows quick and intuitive cooking of unexpected menu items


• Independent controls of microwave power, temperature, and air speed

• Includes a daily cleaning function that cools the oven to safe temperatures and shows a video with recommended cleaning steps

- No side vents, allowing zero side clearance
- Up to 1024 recipes with 8 steps each in 16 groups
- Adjustable temperature from 30°C (86°F) to 280°C (536°F)
- Exterior, cool to the touch
- Stainless steel storage support rack on top

**FIT EXPRESS (DUAL MAGNETRON)** - High microwave power for fresh, chilled, and frozen foods in continuous preparation for high-demand operations.

**FIT SINGLE MAG (SINGLE MAGNETRON)** - Microwave power just right for fresh and chilled foods. With easy installation in places with limited electrical supply.



• **1 year warranty** for parts and labor, with the exception of naturally worn items.

#### **STANDARD ACCESSORIES**

- 01 Panini Style Grill Plate;
- 01 Aluminum Paddle;
- 01 Solid PTFE Basket;
- 01 Usb Flash Drive.



#### FIT EXPRESS

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)
Europe	230 380 400	Single Multi Multi	50 50 50	6.8 6.5 6.8	32 16 16	3x4mm <sup>2</sup> 5x2,5mm <sup>2</sup> 5x2,5mm <sup>2</sup>	32A(2P+E) 16A(3P+N+E) 16A(3P+N+E)	619x386x693 (mm) 24,3 x 15,1 x 27,2 (") <b>67kg</b>   <b>147,7 lbs</b> .	820x550x900 (mm) 32,2 x 21,6 x 35,4 (") <b>100kg   229,2 lbs</b> .	170x315x341 (mm) 6,6 x 12,4 x 13,4 (") <b>13L   0,45 cu.ft</b> .
FIT SINGLE MAG										
Europe	230	Single	50	3	13	3x1,5mm <sup>2</sup>	13A(2P+E)	619x386x693 (mm) 24,3 x 15,1 x 27,2 (") <b>67kg</b>   <b>147,7 lbs.</b>	820x550x900 (mm) 32,2 x 21,6 x 35,4 (") <b>100kg   229,2 lbs</b> .	170x315x341 (mm) 6,6 x 12,4 x 13,4 (") <b>13L   0,45 cu.ft</b> .





• Touchscreen display with intuitive and multi-language software, making it easy to set up, operate, and create recipes

• USB loading capabilities for programming and sharing settings between ovens

• Catalytic converter filter technology allows the oven to operate in any indoor area without the use of a hood


• Easy access to the removable catalytic converter that allows cleaning and maintenance to be performed by the end-user

• Manual cooking mode allows quick and intuitive cooking of unexpected menu items

• Infrared bottom heating element with independent temperature control

Bottom filter can be easily removed for cleaning and maintenance
Includes a daily cleaning function that cools the oven to safe temperatures and shows a video with recommended cleaning steps

- · No side vents, allowing zero side clearance
- Up to 1024 recipes with 8 steps each in 16 groups
- Adjustable temperature from 30°C (86°F) to 280°C (536°F)
- Exterior, cool to the touch



Ριλτιζ

• **1 year warranty** for parts and labor, with the exception of naturally worn items.



#### **STANDARD ACCESSORIES**

- 01 Panini Style Grill Plate
- 01 Solid PTFE Basket
- 01 Aluminum Paddle
- 01 USB Flash Drive

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)
Europe	230	Single	50	6.9	32	3x4mm <sup>2</sup>	32A(2P+E)	636x532x806 (mm)	800x560x860(mm)	146x394x362 (mm)
	380	Multi	50	6.6	16	3x5,2mm <sup>2</sup>	16A(3P+N+E)	25 <sup>1</sup> /16x 21 x 31 <sup>3</sup> /4 (")	31¹/₂x22x34 <sup>7</sup> /₅(")	6³/4x16¹/2x14¹/4(")
	400	Multi	50	6.9	16	3x5,2mm <sup>2</sup>	16A(3P+N+E)	<b>88kg   194 lbs.</b>	<b>110kg   242 lbs.</b>	<b>21L   0,74 cu.ft.</b>







Forza STi

Forza STi Double Stacked

Secures consistent results under continuous repetitive operation

• Works with any kind of pizza: fresh, frozen, pre-cooked, thin or thick crust and pan pizzas up to 40cm (16") in size

• Unique airflow distribution system: guarantees a consistent distribution of hot air through the cooking chamber, resulting in perfect browning throughout the cooking process

Ability to operate at elevated cavity temperatures (up to 330°C / 626°F) to achieve professional results with many fresh dough items
 Fits a half-size sheet pan

• Capable of storing up 1024 different recipe settings, allowing operators to run a cycle, stop, add new ingredients, and continue cooking when needed

• Touchscreen display with intuitive and multi-language software, making it easy to set up, operate, and create recipes

• USB loading capabilities for programming and sharing settings between ovens

• Catalytic converter filter technology allows the oven to operate in any indoor area without the use of a hood

• Easy access to the removable catalytic converter that allows cleaning and maintenance to be performed by the end-user

CERTIFIED


WITH EASILY REMOVABLE

Phone Pontase

Pones 1

0

• Exterior, cool to the touch



• **1 year warranty** for parts and labor, with the exception of naturally worn items.

### STANDARD ACCESSORIES

- 01 Aluminum Mesh Screen;
- 01 Aluminum Paddle;
- 01 Door Cleaning Tool;
- 01 USB Drive.

### 🕀 OPTIONAL ADJUSTABLE FEET

Region	Voltage (V)	Phases	Freq. (Hz)	Power (kW)	Circuit Breaker (A)	Cable	Socket	Product dimensions (Height x Width x Depth)	Boxed product dimensions (Height x Width x Depth)	Chamber dimensions (Height x Width x Depth)
Europe	230	Single	50	6.6	32	3x4mm²	32A(2P+E)	Without feet 340x705x788 (mm) 13,3x27,7x31 (") 67kg   147,7 lbs. With feet 442x705x788 (mm) 17x28x31 (") 67Kg   148 lbs.	Without feet 581x812x891(mm) 22,8x31,9x35 (*) <b>95kg   209,4 lbs.</b> With feet 581x812x891(mm) 23x32x35 (*) <b>95kg   209 lbs.</b>	93x460x435 (mm) 6x15x14 (") <b>18,6L   0,65 cu.ft</b> .







Small footprint 13,3 x 27,7 x 31 height x width x depth (")


**626**⁰F

#### Temperatures up to 626°F

Separate controls for temperature, and air impingement, bottom IR element of the chamber



#### Stainless steel Exterior & interior





### Double glass door & lighted cavity

See cooking progress as the oven is working



Available with 4" legs optional (or without)



**Each cavity has its own controls** Can be used independent of the other



Ρινήτις Δ

### Prepares 16" pizzas

In 3 minutes



#### Energy efficient

low energy consumption



Stackable Can be stacked in up to two ovens



15



## COOKING TIME **EXAMPLES**

## COPA EXPRESS



Grilled cheese sandwich



Brownie 0:45 seconds



Croissant 0:40 seconds



Fish Papilotte 1:30 minutes



### FIT EXPRESS



Brioche Sandwich 0:45 seconds



Sandwich Croissant 0:40 seconds



Chocolate lava cake 0:40 seconds



Quiche 1:20 minutes





### ROCKET **EXPRESS**



Ciabatta Sandwich 0:50 seconds



Lasagna 3:30 minutes



Personal Pizza 1:50 minutes



Salmon En Croute 2:20 minutes



## FORZA STI



16" Margherita Pizza 2:30 minutes



Pepperoni Pan Pizza 3:00 minutes



Argentinian "empanadas" 4:00 minutes



Breadstick 4:00 minutes



### ELEGANT AND INTUITIVE

Full color user-friendly touchscreen display, allowing an unlimited amount of recipes and icons.


### SIMPLE AND OPTIMIZED

A fresh spin on providing a great user interface while simplifying the basic oven operations for the end user.

# NEW FEATURES



#### Multi-language system (Portuguese, English, Spanish, French, German, Polish, Russian, Mandarin, Greek)



New photo library for recipes



### Wi-Fi connectivity



Video cleaning guide with instructions

0

0



## THE CONNECTIVITY OF PRÁTICA



# **USER-FRIENDLY** FEATURES

Available on all Express Line models

### REMOVABLE CATALYST



Easy access and removal of the catalytic converter.

### REMOVABLE AIR FILTER



Designed for simple cleaning and maintenance.

# BACK PANEL

